

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

SAFETY PRECAUTIONS

1. Handle with care.
2. **Wear protective clothing, boots, rubber gloves and face shield when handling the product.**
3. **KEEP OUT OF THE REACH OF CHILDREN.**
4. **KEEP APART FROM FOOD AND FOODSTUFFS.**
5. **KEEP UNDER LOCK AND KEY.**
6. **DO NOT** inhale fumes or spray mist.
7. Avoid contact with skin and eyes.
8. Prevent spray drift onto other crops, grazing, rivers, dams or other areas not under treatment.
9. **DO NOT** eat, drink or smoke whilst mixing or applying or before washing hands and face and changing clothes.
10. Wash contaminated clothing daily.
11. Toxic to fish and birds.
12. Wash with soap and water after use and accidental skin contact.
13. Clean all equipment thoroughly after use. Dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
14. Triple rinse empty containers in the following manner: Rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the described manner.
15. Destroy the empty container by perforating and flattening and dispose of it in a safe manner.
16. **Never** re-use the empty container for any other purpose whatsoever.

SYMPTOMS OF POISONING

Irritation of skin, eyes, face and mouth. Excessive inhalation may cause nasal and respiratory irritation. Ingestion may cause stomach irritation, nausea, cramps and vomiting.

FIRST AID

Inhalation: remove patient to fresh air. Skin contact: remove contaminated clothing and wash patient thoroughly with soap and water. Ingestion: wash out mouth with water. If patient is conscious, induce vomiting by tickling the back of the throat if medical treatment is not readily available and if time from ingestion is less than 1 hour. Eye contamination: wash eye gently with clean running water for 15 to 20 minutes.

IN ALL CASES, SEEK MEDICAL ATTENTION AS QUICKLY AS POSSIBLE AND SHOW THIS LABEL TO THE ATTENDING PHYSICIAN.

DIRECTIONS FOR USE

BULLET 60 EC is a combination pesticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.

Manufactured by:

NOVA AGRO (HK) LTD
27/F Tesbury Centre
28 Queen's Road East
Wanchai, HONG KONG

BULLET 60 EC

Insecticide

Reg. No.:15-D-166-41-D-136-72

500ml



HARMFUL IF SWALLOWED

Composition mass/volume

Acetamiprid.....30g/L
Lambda-cyhalothrin.....30g/L
Inert ingredients.....940g/L

Chemical groups: Acetamiprid: Neonicotinoid
Lambda-cyhalothrin: Synthetic pyrethroid

BULLET 60 EC is a combination insecticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.

TO CAUSE A HAZARD IN THE USE, STORAGE AND DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

Crop	Pests	Application rate per 100L of water	Remarks
Tomatoes	Aphids, whiteflies, leafminers, thrips	100ml	
Tobacco lands	Cutworm	30ml	Apply 30ml of mixture to each seedling so as to wet stem and soil surrounding the base of the seedling.
	Aphids	30ml	Apply 150L water/ha at 10-14 day intervals.

Pre-harvest intervals: tomatoes 12 days

Warranty

The excellent results which this product should normally yield are not however warranted or guaranteed as efficacy can be greatly influenced by factors outside the control of either the manufacturers or suppliers. No warranty whatsoever, express or implied, is therefore given concerning the performance or efficacy of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its handling, use or storage. The product is warranted to consist of ingredients as shown on the label.

Date of Manufacture: JUN. 2015 Batch Number: 20150622

Registration held by/distributed by:



READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

SAFETY PRECAUTIONS

1. Handle with care.
2. **Wear protective clothing, boots, rubber gloves and face shield when handling the product.**
3. **KEEP OUT OF THE REACH OF CHILDREN.**
4. **KEEP APART FROM FOOD AND FOODSTUFFS.**
5. **KEEP UNDER LOCK AND KEY.**
6. **DO NOT** inhale fumes or spray mist.
7. Avoid contact with skin and eyes.
8. Prevent spray drift onto other crops, grazing, rivers, dams or other areas not under treatment.
9. **DO NOT** eat, drink or smoke whilst mixing or applying or before washing hands and face and changing clothes.
10. Wash contaminated clothing daily.
11. Toxic to fish and birds.
12. Wash with soap and water after use and accidental skin contact.
13. Clean all equipment thoroughly after use. Dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
14. Triple rinse empty containers in the following manner: Rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the described manner.
15. Destroy the empty container by perforating and flattening and dispose of it in a safe manner.
16. **Never** re-use the empty container for any other purpose whatsoever.

SYMPTOMS OF POISONING

Irritation of skin, eyes, face and mouth. Excessive inhalation may cause nasal and respiratory irritation. Ingestion may cause stomach irritation, nausea, cramps and vomiting.

FIRST AID

Inhalation: remove patient to fresh air. Skin contact: remove contaminated clothing and wash patient thoroughly with soap and water. Ingestion: wash out mouth with water. If patient is conscious, induce vomiting by tickling the back of the throat if medical treatment is not readily available and if time from ingestion is less than 1 hour. Eye contamination: wash eye gently with clean running water for 15 to 20 minutes.

IN ALL CASES, SEEK MEDICAL ATTENTION AS QUICKLY AS POSSIBLE AND SHOW THIS LABEL TO THE ATTENDING PHYSICIAN.

DIRECTIONS FOR USE

BULLET 60 EC is a combination pesticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.

Manufactured by:


NOVA AGRO (HK) LTD
27/F Tesbury Centre
28 Queen's Road East
Wanchai, HONG KONG

BULLET 60 EC

Insecticide

Reg. No.:15-D-166-41-D-136-72

20x500ml



HARMFUL IF SWALLOWED

Composition mass/volume

Acetamiprid.....30g/L
Lambda-cyhalothrin.....30g/L
Inert ingredients.....940g/L

Chemical groups: Acetamiprid: Neonicotinoid
Lambda-cyhalothrin: Synthetic pyrethroid

BULLET 60 EC is a combination insecticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.

TO CAUSE A HAZARD IN THE USE, STORAGE AND DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

Crop	Pests	Application rate per 100L of water	Remarks
Tomatoes	Aphids, whiteflies, leafminers, thrips	100ml	
Tobacco lands	Cutworm	30ml	Apply 30ml of mixture to each seedling so as to wet stem and soil surrounding the base of the seedling.
	Aphids	30ml	Apply 150L water/ha at 10-14 day intervals.

Pre-harvest intervals: tomatoes 12 days

Warranty

The excellent results which this product should normally yield are not however warranted or guaranteed as efficacy can be greatly influenced by factors outside the control of either the manufacturers or suppliers. No warranty whatsoever, express or implied, is therefore given concerning the performance or efficacy of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its handling, use or storage. The product is warranted to consist of ingredients as shown on the label.

Date of Manufacture: JUN. 2015 Batch Number: 20150622

Registration held by/distributed by:

