

# MANCOZEB 80WP

Fungicide

A FUNGICIDE FOR THE CONTROL OF CERTAIN DISEASES OF AGRICULTURAL AND HORTICULTURAL CROPS, AS WELL AS TOBACCO, FLOWERS AND ORNAMENTALS

Reg. No.: 19-B-14-150  
TRB Reg. No.: 19-22-B-38


**Composition** **mass/mass**  
mancozeb .....80 %  
inert ingredients.....20 %

Chemical group: Dithiocarbamate

KEEP OUT OF REACH OF CHILDREN

500g NET

Supplied by Maguires-  
A member of  
**CropLife**  
ZIMBABWE



HARMFUL IF SWALLOWED

To cause a hazard in the use, storage or disposal of this product is an offence

Manufactured by:

NOVA AGRO (HK) LTD.  
6TH FLOOR WYNDHAM PLACE  
44 WYNDHAM STREET  
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED  
2274 TILBURY ROAD,  
WORKINGTON,  
HARARE,ZIMBABWE

#### DIRECTIONS FOR USE:

**COMPATIBILITY:** The manufacturers stress that it is preferable to use this product on its own; furthermore, the quality of water in a mixture may adversely affect its compatibility. The suggestions below are therefore guidelines only, and all responsibility is disclaimed for lack of effectiveness, damage or loss of any kind from mixing this product with another. The manufacturers strongly recommend a trial mixture be taken with water intended for use in the main mixture.

#### GROUND SPRAYING:

Subject to the above, this product may normally be mixed at those water concentrations common in the use of ground spraying equipment with any ONE of the following: Carbaryl SC, Copper Oxchloride 50WP, Dinocap 20WP and Dimethoate EC. **Do not mix with Bordeaux Mixture, Lime Sulphur or Solubor.**

#### AERIAL SPRAYING:

At water concentrations common in the use of aerial spraying equipment, even greater caution is recommended and a trial mixture should always be taken. Subject thereto, this product may be mixed with any ONE of those listed above.

As Mancozeb 80WP prevents the spread of diseases, it is advisable to apply it before the disease appears.

Crop	Disease(s)	Dosage of Mancozeb WP in water	Application	Harvest interval (days)
Beans	Anthraco-nose Scab, Bean rust	300g/100 litre water	Apply as full cover spray to thoroughly wet the plants. Apply the first spray approx. 7 days before flowering and the second at flowering.	7
Groundnuts	Cercospora	2kg/ha	Apply either at high or low volume. Commence spray as soon as disease appears and repeat at 10-14 day intervals.	21
Onions	Alternaria blotch, Downy mildew	200g/100 litre water + 100ml Agral 90	Apply as a cover spray every 4-7 days.	14
Potatoes	Early and late blight	1,7 – 3,3kg/ha	Add a wetting agent. Apply every 5–10 days whilst climatic conditions are favourable for the develop-ment of the disease i.e. wet & humid.	14
Tobacco seedbeds TRB CERT 19-22-B-38	Alternaria	High volume: 100 g/10 litre water ULV: Sprays 1-2 45g/litre sprays 3-6 90 g/ litre water	Commence weekly sprays 2-3 weeks after germination, or when the plastic mulch is lifted. Initially apply 20ml/ m <sup>2</sup> and increase to a max. of 60ml/m <sup>2</sup> as the seedlings grow.	
Tomatoes	Early and late blight, Septoria leaf spot	200 – 300g/100 litres water	Apply as thorough cover spray every 7–10 days whilst climatic conditions are favourable for the develop-ment of the disease.	7

#### SAFETY PRECAUTIONS:

1. Handle with care.
2. Wear protective clothing, boots, rubber gloves and face shield when handling this product.
3. KEEP OUT OF THE REACH OF CHILDREN.
4. KEEP APART FROM FOOD AND FOODSTUFFS.
5. KEEP UNDER LOCK AND KEY.
6. Do not inhale fumes or spray mist.
7. Avoid contact with skin and eyes.
8. Prevent spray drift onto other crops, grazing, rivers, dams or other areas not under treatment.
9. Do not eat, drink or smoke whilst mixing or applying or before washing hands and face and changing clothes.
10. Wear protective clothing, boots, rubber gloves and face shield when handling the product.
11. Wash contaminated clothing daily.
12. Toxic to fish and birds.
13. Wash with soap and water after use and accidental skin contact.
14. Clean all equipment thoroughly after use. Dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
15. Triple rinse empty containers in the following manner: Rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the described manner.
16. Destroy the empty container by perforating and flattening and dispose of it in a safe manner.
17. Never re-use the empty container for any other purpose whatsoever.

#### SYMPTOMS OF POISONING:


Nausea, vomiting, diarrhea, apathy, dizziness, itching, rashes.

#### FIRST AID:

Should accidental poisoning occur, call a doctor and show him this label. Remove patient from area where product is being handled. Remove contaminated clothing. If inhaled, remove patient to fresh air and check for adverse symptoms. Ensure airways are clear and that breathing is maintained. In case of eye contact, flush eyes with large amounts of water for at least 15 minutes. In case of skin contact, wash with soap and water. If ingested give 2 glasses of water to drink and consult a physician. NEVER give anything by mouth to an unconscious person. If symptoms persist call a doctor and show him this label.

**NOTE TO PHYSICIAN:** If ingested, apply gastric lavage. Treat symptomatically with general supportive measures. No specific antidote.

**WARRANTY:** The excellent results which this chemical should normally yield are not however warranted or guaranteed as effectiveness can be greatly influenced by factors outside the control of either the manufacturers or the suppliers. No warranty whatsoever, express or implied, is therefore given concerning the performance or effectiveness of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its handling, use or storage, whether or not such has been in accordance with damage, injury or loss of any kind during or resulting from its handling, use or storage, whether or not such has been in accordance with directions. This product is warranted to consist of the ingredients shown on the label.



Date of Manufacture: JAN. 2021

Batch Number: 20210118

Manufactured by:

NOVA AGRO (HK) LTD.  
6TH FLOOR WYNDHAM PLACE  
44 WYNDHAM STREET  
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED  
2274 TILBURY ROAD,  
WORKINGTON,  
HARARE,ZIMBABWE

# MANCOZEB 80WP

Fungicide

A FUNGICIDE FOR THE CONTROL OF CERTAIN DISEASES OF AGRICULTURAL AND HORTICULTURAL CROPS, AS WELL AS TOBACCO, FLOWERS AND ORNAMENTALS

Reg. No.: 19-B-14-150  
TRB Reg. No.: 19-22-B-38


**Composition** **mass/mass**  
mancozeb .....80 %  
inert ingredients.....20 %

Chemical group: Dithiocarbamate

KEEP OUT OF REACH OF CHILDREN

20x500g NET

Supplied by Maguires-  
A member of  
**CropLife**  
ZIMBABWE



HARMFUL IF SWALLOWED

To cause a hazard in the use, storage or disposal of this product is an offence

Manufactured by:

NOVA AGRO (HK) LTD.  
6TH FLOOR WYNDHAM PLACE  
44 WYNDHAM STREET  
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED  
2274 TILBURY ROAD,  
WORKINGTON,  
HARARE,ZIMBABWE



## MATERIAL SAFETY DATA SHEET

**PRODUCT** : MANCOZEB 800WP  
**EFFECTIVE DATE** : October 2006  
**REVISION NO** : 2  
**PAGE** : 1 of 5

**SUPPLIER** : NOVA AGRO (HK) LTD.  
(Reg. No. 1023146)  
28/F Tesbury Centre  
28 Queen's Road East  
Wanchai  
HONG KONG

### EMERGENCY TELEPHONE NUMBERS

**SPILLAGES** :  
**Telephone No.** : 00263 4 704173  
**POISONINGS:**  
**National Poison Centre** : 27-21-9386084 (office hours).  
(South Africa) : 27-21-9316129 (after hours).  
: 27-800 33444 (24 h)

## 1. IDENTIFICATION OF THE SUBSTANCE

- **Product Name** MANCOZEB 800WP
- **Common Name** Mancozeb
- **Chemical Name(IUCAP)** Manganese ethylenebis (dithiocarbamate) (polymeric) complex with zinc salt.
- **Cas No.** 8018-01-7
- **Chemical Family** Alkylenebis (dithiocarbamate)
- **Chemical Formula:** Non-defined
- **Use:** Fungicide with protective action.
- **Symbols:** X<sub>i</sub>
- **Risk-Phrase(s):** R36, R37, R43

## 2. HAZARD IDENTIFICATION

- **Toxicity class:** EPA IV  
A low toxicity fungicide.
- **Likely routes of exposure:** Skin and eye contact, inhalation and ingestion.
- **Eye contact:** May cause moderate eye irritation.
- **Skin contact:** Mild to moderate skin irritant.
- **Ingestion:** Minimally toxic.
- **Inhalation:** May be irritating to the respiratory system.

## 3. FIRST AID MEASURES AND PRECAUTIONS

Reactions are not likely to occur unless the absorbed dose is extraordinary. Symptoms of exposure to the product include: itching, scratchy throat, sneezing and coughing.

- **Inhalation:**  
Remove source of contamination or move victim to fresh air. Monitor for respiratory distress. Administer 100% humidified supplemental oxygen with assisted ventilation as required.

- **Skin contact:**  
Remove contaminated clothing, shoes and leather goods. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Seek medical advice if necessary. Persons who become sensitised may require specialised medical management with anti-inflammatory agents.

- **Eye contact:**  
Immediately flush the eyes with gently flowing lukewarm water or saline solution for 20 minutes, holding the eyelid(s) open. Seek medical attention if necessary.

- **Ingestion:**  
Give the victim a drink of a suspension of activated charcoal with water (240ml of diluent /30g of charcoal) to bind toxicant remaining in the gastrointestinaltract Seek medical advice if necessary.

- **Ingestion:**  
Give the victim a drink of a suspension of activated charcoal with water (240ml of diluent /30g of charcoal) to bind toxicant remaining in the gastrointestinal tract. Seek medical advice if necessary.

- **Advice to physician:**  
Treat symptomatically and supportively.

## 4. FIRE FIGHTING MEASURES

- **Firefighting:**  
Fight fire from a maximum distance. Contain fire control water for later disposal. Use a recommended extinguishing agent for the type of surrounding fire. Water can be used to cool unaffected containers. Avoid inhalation of hazardous vapours. Keep upwind.

- **Fire and explosion:**  
Slight fire hazard when exposed to heat or flame. Dust-air mixtures may ignite or explode.

- **Extinguishing agents:**  
Extinguish small fires with carbon dioxide, dry powder, or alcohol-resistant foam. Water spray can be used for cooling of unaffected stock, but avoid the accumulation of polluted run-off from the site.

- **Personal protective equipment:**  
Fire may produce irritating or poisonous vapours (toxic oxides of carbon, nitrogen and sulphur), of combustion. Fire-fighters and others that may be exposed should wear full protective clothing and self-contained breathing apparatus.

## 5. ACCIDENTAL RELEASE MEASURES



## MATERIAL SAFETY DATA SHEET

PRODUCT : MANCOZEB 800WP

EFFECTIVE DATE : October 2006

REVISION NO : 2

PAGE : 2 of 5

### (SPILLAGE)

- **Personal precautions:**

Avoid contact with skin and eyes. Do not inhale fumes. For personal protection see Section 8.

- **Environmental precautions:**

Do not allow to enter drains or water sources. When the product contaminates public waters, inform appropriate authorities in accordance with local regulations.

- **Occupational spill:**

For small liquid spills, soak up with sand or other suitable non-combustible absorbent material, taking care not to raise a dust cloud. Place the material into a clean, dry container and cover for subsequent disposal. In cases where product comes in contact with water, contain contaminated water for later disposal. Do not flush spilled material into drains. Keep spectators away and upwind.

## 6. HANDLING AND STORAGE REQUIREMENTS

- **Handling:**

Avoid contact with eyes, prolonged contact with skin and inhalation of dust and vapour. Wash hands before eating, drinking, chewing gum, smoking or using the toilet. Remove clothing immediately if the herbicide gets inside. Then wash skin thoroughly using a non-abrasive soap and put on clean clothing. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Water used to clean equipment must be disposed of correctly to avoid contamination.

- **Storage:**

Store in its original labelled container in shaded, well-ventilated area, away from heat, sparks and other sources of ignition. Store in a dry area. Do not allow the product to become wet or overheated in storage; decomposition, impaired activity or fire may result. Not to be stored next to foodstuffs and water supplies. Keep out of reach of children and animals. Local regulations should be complied with.

## 7. EXPOSURE CONTROL / PERSONAL PROTECTION

It is essential to provide adequate ventilation. The measures appropriate for a particular work site depends on how this material is used and on the extent of exposure. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

- **Personal protective equipment:**

If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable personal protective equipment including approved respiratory protection.

- **Respirator:**

An approved full face respirator suitable for protection from dusts and mists of pesticides is adequate. Limitations of respirator use specified by the approving agency and the manufacturer must be observed.

- **Clothing:**

Employees must wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with this substance. Do not wear leather clothing.

- **Gloves:**

Employees must wear appropriate synthetic protective gloves (chemical resistant) to prevent contact with this substance.

- **Eye protection:**

The use of safety goggles is recommended.

**Emergency eye wash:** Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

## 8. PHYSICAL AND CHEMICAL PROPERTIES

- **Appearance:** Pale yellow powder.
- **Odour:** Odourless.
- **Explosive properties:** Dust-air mixtures may explode.
- **Flammability:** Not flammable. Mean combustion time is 18'25".
- **Oxidising properties:** Non-corrosive.
- **pH:** ± 6,85 (1% in water).
- **Relative density:** Tap density is 0,67.
- **Storage stability:** Stable for 2 years under normal, dry storage conditions. Stable after 14 days at 54°C
- **Persistent foaming:** 5 ml after 1 minute.  
3 ml after 12 minutes.

- **Suspensibility:** Without creaming: 67,9% (standard hard water).
- **Wettability:** With creaming: 81,4% (standard hard water).  
Mean value: 59 seconds
- **Solubility in organic solvents:** Practically insoluble in most organic solvents.
- **Partition-coefficient in n-octanol /water:** No data available.
- **Melting point:** Decomposes without melting @ 192°C.

## 9. STABILITY AND REACTIVITY

### Stability:

The product is stable at room temperature. Product hydrolyzed rapidly in alkaline media and hydrolyzed slower in acidic and neutral aqueous media.

### Incompatibility:

The product is compatible with most other common pesticides but incompatible with alkaline materials such as Bordeaux mixture or Lime Sulphur.

Do not physically mix concentrate directly with other herbicides or pesticide concentrates; always dilute first.

### Hazardous decomposition:

Product undergoes decomposition at high temperatures. Avoid heating above ambient temperature. Oxides of nitrogen, phosphorus and sulfur are released when the product decomposes on heating.

## 10. TOXICOLOGICAL INFORMATION

- **Acute oral LD<sub>50</sub>:** > 5000 mg/kg in rats.
- **Acute dermal LD<sub>50</sub>:** > 5000 mg/kg in rabbits.
- **Acute inhalation LC<sub>50</sub> (4 h):** > 5,14 mg/l in rats.
- **Acute skin irritation:** Mild to moderate.
- **Acute eye irritation:** Moderate.
- **Dermal sensitization:** The product provokes mild dermal sensitisation (guinea pigs).
- **Carcinogenicity:** Animal studies did not detect any carcinogenic activity.
- **Teratogenicity:** Animal studies did not detect any teratogenic effects.
- **Mutagenicity:** Results taken from animal studies suggest that the product induces large-scale chromosomal aberrations, rather than small aberrations of

point mutations.

## 11. ECOLOGICAL INFORMATION

### Degradability:

Strongly absorbed to soil. The product is rapidly degraded in the environment by hydrolysis, oxidation, photolysis and metabolism. The half life in soil is 3 – 11 days (clay and loam soil).

### Mobility:

The product has low mobility and is not likely to leach.

### Accumulation:

The product shows little or no tendency to bio accumulate and poses no long term threat to wildlife.

### Ecotoxicology:

- **Birds:** Practically non-toxic.  
Acute oral LD<sub>50</sub>:  
>3 200 mg/kg (Japanese quail).  
> 6 400 mg/kg (mallard ducks).
- **Fish:** Low toxicity to fish.  
96 hour LC<sub>50</sub>:  
Rainbow trout: 4 600 µg/l.  
Carp: 666,6 µg/l.
- **Bees:** Non-toxic to bees.  
Contact LD<sub>50</sub> (24hr and 48h):  
> 100 µg /bee.  
Oral LD<sub>50</sub> (24hr and 48 hr):  
> 129,0 µg /bee.
- **Daphnia:** Low toxicity to *Daphnia magna*, but may affect the reproductive capacity.  
EC<sub>50</sub> (48 hr): 900 µg/l.
- **Algae:** *Selenastrum capricornutum*.  
E<sub>b</sub>C<sub>50</sub> (0 -72 hr; inhibition of growth):  
0,011 mg/l.  
E<sub>r</sub>C<sub>50</sub> (0 -72 hr inhibition of growth):  
1,16 mg/l.
- **Earthworms** Low toxicity to *Eisenia foetida*. LC<sub>50</sub> (14 d): >1000 mg/kg.

## 12. DISPOSAL CONSIDERATION

### Pesticide disposal:

Contaminated absorbents, surplus product, etc., should be burned in a high-temperature incinerator (>1000°C) with effluent gas scrubbing. Never pour untreated waste or surplus products into public sewers or where there is any danger of run-off or seepage into water systems. Comply with local legislation applying to waste disposal.

### Package product wastes:

Emptied containers retain product residues. Observe all labeled safeguards until container is destroyed. Combustible containers should be disposed of in pesticide incinerators or

disposal of in approved landfill site. Comply with any local legislation applying to disposal.

### 13. TRANSPORT INFORMATION

- **UN Number:** 2968
- **ADR/IRD:** 4.3
- **IMDG/IMO:** 4.3
- **ICAO/IATA:** 4.3
- **PACKING GROUP:** III
- **ROAD/RAIL:** Dithiocarbamate pesticide, solid, toxic, n.o.s. (mancozeb).
- **AIR/IATA:** 619, Y619  
Dithiocarbamate pesticide, solid, toxic, n.o.s. (mancozeb).
- **SEA:** Dithiocarbamate pesticide, solid, toxic, n.o.s. (mancozeb).  
Considered a marine pollutant.

### 14. REGULATORY INFORMATION

- **Symbol:** Xi
- **Indication of danger:** Irritant.
- **Risk phrases:**
  - R 36:** May cause eye irritation
  - R 37:** Irritating to respiratory system.
  - R 43:** May cause sensitisation by skin contact
- **Safety phrases:**
  - S 2:** Keep out of reach of children.
  - S 8:** Keep container dry.
  - S 24/25:** Avoid contact with skin and eyes.

### 15. PACKING AND LABELLING

25kg in a 4-ply paper bags with the inner layer coated with polyethylene in a woven polypropylene bag.  
1kg in a printed aluminium sachet, packed 20x1kg in a carton.

### 16. OTHER INFORMATION

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct. This information applies to the PRODUCT AS SUCH. In case of new formulations or mixes, it is necessary to ascertain that a new danger will not appear.

It is the responsibility of persons in receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces formulations(s) containing this product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.

### REFERENCES

- *Pestline*; Material Safety Data Sheets for Pesticides and Related Chemicals; Volume II; Occupational Health Services Inc., 1991.
- *The Pesticide Manual*; 13th Edition; Editor Clive Tomlin; Crop Protection Publications, 2003.
- *IPCS*; Health and Safety Guide No. 22; World Health Organisation, Geneva, 1990.
- *Agriculture and Public Health*; Guide to the Treatment of Poisoning by Chemicals, 1993.
- *Pharmacological Basics of Therapeutics*; International Edition; Alfred Goodman Gilman, Joel G. Hardman, Lee E. Limbird, Perry B. Molinoff, Raymond W. Ruddon.
- *EuroChem Monitor*; European Community Legislation on the Marketing and Use of Dangerous Substances and Preparations, Volume 1 and 5.
- *Dangerous Goods Regulations; IATA 1999*; International Air Transport Association, 40th Edition, Effective 1 January 1999.
- *Guidelines for personal protection when using pesticides in hot climates*. GIFAP, G8/7 5M/989/ENG/QUA.
- *South African Medicine Formulary*. Emergency Treatment of Poisoning. Merck Manual.