




KynoSol N-Max[®]



KynoSol N-Max[®] is designed as a foliar application for aerial canopies and leaves.

It is formulated to promote and support early growth and development of all crops and will help to improve yield, quality, and appearance of the produce while simultaneously addressing nutritional deficiencies.

REGISTRATION HOLDER AND SUPPLIERS NAME:

Registration Holder: ETG INPUTS ZIMBABWE (Pvt) Ltd

Suppliers: ETG INPUTS ZIMBABWE (Pvt) Ltd

Physical address: 1 Robert Drive, Msasa,
Harare, Zimbabwe

Contact number: +263 8677 009 705

Fertiliser.zw@etgworld.com

Net Mass

25Lt

<< Enhanced efficiency through innovation >>



KynoSol N-Max[®]



Formulated to promote and support early growth and development of all crops and will help to improve yield, quality, appearance of produce and address nutritional deficiencies.

Name:

KynoSol N-Max[®]

Properties (What):

KynoSol products are a range of concentrated, soluble, and scientifically balanced liquid fertilizers which have been designed to provide the highest quality macronutrients and trace elements required for optimal plant health and production.

KynoSol N-Max[®] is designed as a foliar application to aerial canopies and leaves. It is formulated to promote and support early growth and development of all crops and will help to improve yield, quality, and appearance of the produce while simultaneously addressing nutritional deficiencies.

Benefits (Why):

- Small quantities of **KynoSol N-Max[®]** promotes greater efficiency in crops.
- **KynoSol N-Max[®]** is highly concentrated with macro and micronutrients essential for plant growth.
- **KynoSol N-Max[®]** provides a high level of nitrogen (N) which is important during early plant development and establishment.

Nutrient Composition		
Nitrogen	(N)	14%
Phosphorus Pentoxide	(P2O5)	6%
Potassium Oxide	(K2O)	5%
Boron	(B)	250 PPM
Copper EDTA	(Cu)	500 PPM
Iron EDTA	(Fe)	700 PPM
Manganese EDTA	(Mn)	500 PPM
Molybdenum	(MO)	20 PPM
Zinc EDTA	(Zn)	500 PPM
Ph		6.5 - 7

Directions for use:

Use only as directed. Refer to SDS for Personal Protection equipment (PPE) to be worn when utilising the product.

Compatibility:

- **KynoSol N-Max[®]** is compatible with other agricultural products, it is however advisable to do miscibility test prior to mixing **KynoSol N-Max[®]** with other agricultural products.
- Do not mix or fertigate with soluble Phosphate fertilisers.

Application (How):

Directions for use:

- Shake the container well before opening.
- Half fill the knapsack sprayer with water.
- Add recommended rate of **KynoSol N-Max[®]** and mix contents thoroughly.
- Fill knapsack sprayer with water.
- Apply thoroughly to leaves of crop/ plants.


Application table

Crop	Rate of Application
Cereals- Maize, wheat, rice, oat, rye	For all crops apply at a rate of 2 lt - 3 lt per hectare Mix 100 ml- 150 ml of KynoSol N-Max[®] in 16 liters of water.
Vegetables and Fruits - French beans, watermelons, tomatoes, capsicums, potatoes, chili, onions, pepper, cauliflower, broccoli, spinach, lettuce, cabbage, okra, pumpkin, cocoyam, yam, cassava, eggplant, radish.	

- **Foliar application-** Spray directly onto plant leaves during crop growth.

Mixing instructions:

- Shake the container thoroughly before use.
- Follow the standard tank mixing procedure if this product is applied in combination with other agricultural products.
- Ensure good agitation throughout application.



25Lt

ETG INPUTS ZIMBABWE (Pvt) Ltd
1 Robert Drive, Msasa, Harare, Zimbabwe
+263 8677 009 705 Fertiliser.zw@etgworld.com

EMERGENCY CONTACT NUMBER:
+263 8677 009 705

Customer care WhatsApp number 0776 061 201



KynoSol N-Max[®] 763/23

Name:

KynoSol N-Max[®]

Properties (What):

KynoSol products are a range of concentrated, soluble, and scientifically balanced liquid fertilizers which have been designed to provide the highest quality macronutrients and trace elements required for optimal plant health and production.

KynoSol N-Max[®] is designed as a foliar application to aerial canopies and leaves. It is formulated to promote and support early growth and development of all crops and will help to improve yield, quality, and appearance of the produce while simultaneously addressing nutritional deficiencies.

Benefits (Why):

- Small quantities of **KynoSol N-Max[®]** promotes greater efficiency in crops.
- **KynoSol N-Max[®]** is highly concentrated with macro and micronutrients essential for plant growth.
- **KynoSol N-Max[®]** provides a high level of nitrogen (N) which is important during early plant development and establishment.

Nutrient Composition		
Nitrogen	(N)	14%
Phosphorus Pentoxide	(P2O5)	6%
Potassium Oxide	(K2O)	5%
Boron	(B)	250 PPM
Copper EDTA	(Cu)	500 PPM
Iron EDTA	(Fe)	700 PPM
Manganese EDTA	(Mn)	500 PPM
Molybdenum	(MO)	20 PPM
Zinc EDTA	(Zn)	500 PPM
Ph		6.5 - 7

Mixing instructions:

- Shake the container thoroughly before use.
- Follow the standard tank mixing procedure if this product is applied in combination with other agricultural products.
- Ensure good agitation throughout application.

Directions for use:

Use only as directed. Refer to SDS for Personal Protection equipment (PPE) to be worn when utilising the product.

Compatibility:

- **KynoSol N-Max[®]** is compatible with other agricultural products, it is however advisable to do miscibility test prior to mixing **KynoSol N-Max[®]** with other agricultural products.
- Do not mix or fertigate with soluble Phosphate fertilisers.

Application (How):

Directions for use:

- Shake the container well before opening.
- Half fill the knapsack sprayer with water.
- Add recommended rate of **KynoSol N-Max[®]** and mix contents thoroughly.
- Fill knapsack sprayer with water.
- Apply thoroughly to leaves of crop/ plants.

Application table

Crop	Rate of Application
Cereals- Maize, wheat, rice, oat, rye	For all crops apply at a rate of 2 1t - 3 1t per hectare Mix 160 ml- 150 ml of KynoSol N-Max [®] in 16 liters of water.
Vegetables and Fruits - French beans, watermelons, tomatoes, capsicums, potatoes, chili, onions, pepper, cauliflower, broccoli, spinach, lettuce, cabbage, okra, pumpkin, cocoyam, yam, cassava, eggplant, radish.	

- **Foliar application-** Spray directly onto plant leaves during crop growth.